



Fig.1




Fig.2




Fig.3





Fig.4



•  
•  
•



Fig.5

Tag name	Parameter value
Subject brightness	5(APEX)
Flash	<div><div></div><div><div>• Auto flash mode</div><div>• Fired</div><div>• Reflected light sensor present</div><div>• Reflected light sensed</div></div></div>
Subject distance	1.5(m)
Subject distance range	Near distance
Flash intensity	1000(BCPS)
Aperture value	F4
Shutter speed	1/60 sec
ISO speed rate	100
White balance	Auto



Fig.6




Fig.7




Fig.8




Fig.9






Fig.10




Fig.11




Fig.12




Fig.13(a)




Fig.13(b)




Fig.14(a)

COLOR SHIFT CALCULATION AREA




Fig.14(b)




Fig.15(a)




Fig.15(b)




Fig.16




Fig.17(a)




Fig.17(b)




Fig.18




Fig.19






Fig.20




Fig.21

Scene	Standard	Portrait
Contrast	Standard	Moderately soft
Brightness	Standard	Moderately bright
Saturation	Standard	Moderately low
Sharpness	Standard	Moderately weak
Memory color	OFF	Skin color
Noise reduction	OFF	OFF

Fig.22




Fig.23




Fig.24




Fig.25




Fig.26

IMAGE PROCESSING BASED ON  
IMAGE GENERATION RECORD INFORMATION